

L2221



Sakura Tree House
L2221 Instruction Manual

NOTICE OF ASSEMBLE

Tips for assembling

1. Because this product contains small parts, children need to use this product with an adult to avoid accidental ingestion and cause suffocation hazard.
There are sharp objects in the product, be careful not to pierce people to avoid injury.
2. After all the materials are used in the required amount in the operation steps, put the remaining materials back into the original bag until the installation is completed.
(Avoid losing materials during the installation process)
3. The unit of dimension marked in the step diagram is "cm".
4. Tips for making template paper: Put the template on the back of the material, fix it with some small double-sided tape, and then cut out the material to prevent the cloth or template from moving in the cutting process, or causing errors in the cut material. Or lead to insufficient materials.
5. According to the "Parts Rule Example" at the bottom of this page, refer to the parts on the part number drawing, find the actual product and compare it with the bill of materials, and then install it after confirming that it is correct. (Wooden parts only)
6. It is not advisable to apply too much glue, so as not to wait for a longer time to dry, and overflow will affect the effect of the finished product.
7. There are unavoidable small deviations in the color of wood, fabric, and beads of different batches, without notice, thanks for understanding.


Tips for Assembling Wood



Find the corresponding block number, use a knife in the connection point gently press, you can take out the wood.




Use a knife to smooth out the burr.




Or use sandpaper to smooth out the burr

Testing on LED function

Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.



DO NOT contact the LED wire end direct to the battery cell.



Use the provide battery holder. Make sue the correct polarity.


How to assemble the battery holder




1. Material and tools needed:
- Battery holder, LED bulb,
tape, screw driver and 2 pieces
AAA size battery(not provided)



2. Use screw driver and
take the lid off from the
battery holder.




3. Insert the battery take
notes on the polarity.



4. Connect the red wire
to grey wire. Connect
the black wire to white
wire.



5. Wrap the exposed wire
with the tapes.



6. Place the box lid and
fastness with screw driver.

Examples of parts rule:

A01: The parts are directly in the box; B01: The parts are in the B bag; C01: The parts are in the C bag, and so on (Note: The printing paper is displayed in the step A24-1: The printing paper is placed directly in the box, The part number is A24-1. In the step, the template paper A25-K01 is displayed, A25 is the template paper, K01 is the cutting template used for the corresponding material, K01-1, K01-2 are the part numbers for the parts, and the printing paper and template paper are directly placed in the packaging box.)

Catalogue


Name of accessories	Related materials bag	
Printing paper	A24, A25 in Bag A (included printing paper and template paper A24, A25 total of 2 sheets of A3 size printing paper + 1 sheet of A4 size printing paper+ 2 sheets of A3 size template paper)	
Chair	Bag D + Printing Paper	Page 3
Dining Table	Bag D + Bag K + Bag L + Bag M + Bag N + Printing Paper	Page 3-4
Grill	Bag D + Bag E+ Bag K + Bag L + Bag M + Printing Paper	Page 4-5
Children's dining chair	Bag D + Bag L+ Bag N + Printing Paper	Page 5
Floor lamp	Bag H + Bag L+ Bag M + Bag P	Page 5-6
Slide	Bag E + Bag K+ Printing Paper	Page 6
Plant&Floor lamp &Small animals	Bag A + Bag E+ Bag L + Bag M+ Bag N +Bag P	Page 7
Bed	Bag F + Bag K+ Bag L + Printing Paper	Page 8
Dresser	Bag F + Bag G+ Bag K + Bag L + Bag M + Bag N+ Printing Paper	Page 9-10
Mirror& Washbasin	Bag G + Bag K+ Bag L + Bag N +Printing Paper	Page 10-11
Wall lamp&Tub	Bag E + Bag G+ Bag L + Bag M + Bag P + Printing Paper	Page 11
Bunk bed	Bag F + Bag H+ Bag K + Bag L +Printing Paper	Page 12
Desk	Bag H + Bag L+ Bag M + Printing Paper	Page 13
Recliner	Bag J + Bag K+ Bag M + Printing Paper	Page 13-14
Chandelier	Bag J + Bag M+ Bag P	Page 14
Basket&Crane	Bag F+ Bag L+ Printing Paper	Page 15-16
Light&Wall lamp	Bag F + Bag K+ Bag M + Bag N + Bag P +Printing Paper	Page 16
Windmill	Bag J+ Printing Paper	Page 17
Telescope	Bag J+ Printing Paper	Page 17
First floor stairs& Second floor stairs &3rd floor ladder	Bag C	Page 18
Cherry tree branch	Bag A+ Printing Paper	Page 18
Cherry tree	Bag A+ Printing Paper	Page 18-19
Master bedroom	Bag A + Bag B+ Bag F+ Bag G + Bag K +Bag L + Bag M+ Bag N + Printing Paper	Page 19-20
Bathroom	Bag A + Bag B+ Bag F+ Bag G + Bag K +Bag L + Bag M+ Bag N + Bag P +Printing Paper	Page 20-22
Children's room	Bag A + Bag B+ Bag C + Bag F+ Bag H +Bag K + Bag L+ Bag M + Bag N +Bag P +Printing Paper	Page 22-23
Stream	Bag C+ Printing Paper	Page 24
Assembly The Frame	Bag A+ Printing Paper	Page 24-28
Installation Of Battery Box	Bag P	Page 29
Dust cover	Bag Z	Page 30

Welcome to the DIY world,
now follow me to start.


Thumbnail of material list (reference only)



Thumbnail of printing paper & template paper (reference only)



Symbol description used



Method for using glue:

1. After applying the glue, let it dry for a few seconds before pasting.
2. Fix it slightly with your hands, and finally put it aside to dry;


Types of glue:

White latex: Used for adhering soft materials, such as wood and paper.
Alcoholic Glue: Used for adhering hard materials such as cloth, plastic, beads, wire, dust cover, etc.


Tips:

1. When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.
2. In the process of making glue, you need to wait for the glue to dry. The next component can be assembled at the same time;


Chair




1



2



3




4




5




Dining Table



1



2




3



4




5



6



7



8



9




(Swiss Roll)
Place and paste as shown in the figure, and make two copies

10



Bend the wire shape as shown in the figure

11



M02 and M03 are threaded in to L05, 2 pieces are required

12




Paste as shown

13



(Skewers)

14



A24-25-7

15



Fold as shown

16



Fold as shown

17



Paste as shown


18



(Bacon)
Paste as shown



9		10		11							
Children's dining chair D08 D08 D09 D10 D11 D12 D13 D14 A24-30 M02 M03 L04 (1.5cm) L04 (1cm) A24-25-6 A24-37 D18 N01 L12 (some) N07 N02 N02 M10 L05 (2cm) L05 (2cm) A24-25-5											
1		2		3							
4		5		6							
7		8		9		10		11		12	
13		14		15		16		17		18	
Floor Lamp H17 H18 H19 H20 L05 (20cm) M13 P01 H16 H16											
1		2		3		4					








Plant

Materials: A26-1, A26-5, A26-6, L03(2cm), L03(2.5cm), L03(3cm), M04 (6pieces) 1. M04 (2.5cm) M04 (3cm) Crop 2. A26-5, A26-5 M04 (2.5cm) A26-5 petals are cut out, and the two petals are inserted into M04 with glue to fix 3. The size of M04 is random, need to complete 6 pieces	4. A26-1, A26-5 Paste as shown 5. Roll up and paste 6. 3 sets to complete	7. M04 (2.5cm), A26-4, A26-4, A26-4 A26-4 petals are cut out, and three petals are inserted into M04 with glue to fix 8. A26-4 The size of M04 is random, need to complete 3 pieces 9. A26-3 The production method of A26-3 and A26-4 is the same, the size of M04 is random, and 3 pieces need to be completed
10. A26-1, A26-4, A26-3 Paste as shown 11. Roll up and paste	12. 3 sets to complete	13. A26-2, L03(2cm), 0.5cm A26-2 and L03 are all pasted 14. A26-2 and L03 are all pasted 15. A26-6, L03(2.5cm) A26-6 Please refer to the production method on page 4



















Floor lamp Materials: M07, N05, N06, L08 (1.5cm), L03(3cm), L02 (5cm), P01 1. N05, P01, N05 N05 2. L03(3cm) Insert L03 as connection support point 3. N06 Light wire goes through N06 4. L02 (5cm) Trim L02, spare wireframe part	5. M07, L02 (5cm) Round and paste 6. L08 (1.5cm) L08 is pasted on L02 7. Paste as shown 8. Assembled with light stand	9. need to make 2 pieces 10. A24-8-4
Small animals Materials: E18, E19, E20, E21, A24-8-1, A24-8-2, A24-8-3, A24-8-4 1. E18, E19, E20, E21, A24-8-1, A24-8-2, A24-8-3, A24-8-4 2. E19, A24-8-1 3. E20, A24-8-2 4. E21, A24-8-4	5. A24-8-3 6. A24-8-1 7. A24-8-2 8. A24-8-4	9. A24-8-3 10. A24-8-1 11. A24-8-2 12. A24-8-4

Bed



Dresser











Before making, cut out K05,K09,K13 according to template A25-K05,A25-K09,A25-K13













Mirror&Washbasin









Before making, cut out K09,K13 according to template A25-K09,A25-K13




19 	20  K13-1 Peel off the blue protective film	21 K13-1 The effect of tearing off the blue protective film  G14	22  A24-38 G15	23  G15 G14 Assemble as shown	24  M11 K09-4 Assemble as shown
Wall Lamp Before making, cut out K06 according to template A25-K06   K06-1 P01 G16 G17	1  G17 K06-1 Fix K06-1 in G17 as shown	2  P01 G16 Thread P01 into G16	3  Assemble as shown		
Before making, cut out K01 according to template A25-K01 Tub   M17 G19 G19 A24-27-3 L10 K01-4 M15 (10 pieces) A24-27-1 E17 G18 A24-27-7	1  K01-4 Roll up and paste	2  A24-27-1 winding paste	3  (Towel) Paste completed	4  G18 (Tumbler) A24-27-7	
5  G19 G19 M17	6 	7  A24-27-3	8  M15 (10 pieces) L10	9  E17	10  (Towel)

Before making, cut out K01, K04, K05, K07 according to template A25-K01, A25-K04, A25-K05, A25-K07, A25-K08, and cut out the wood grain of F16

Bunk bed


 L01 (3cm) F16-2 F16-3 K05-3 K01-1 K01-2 L10 (some)	 H01 H01 H02 H03 H04 H05 H06 H06 H07 H07 H07 K07-1 K07-2 K04-2 K04-3 K01-6 L10 (some)	1cm 1cm  L01 (3cm) K07-1	2  Fold	3  K01-2 K04-2 (back view)
		4  (back view) Wrap around and paste inward	5  (front view)	6  K01-1 K04-3 (back view)
7  Wrap around and paste inward	8  (front view)	9  K07-2 (back view) Glue on red	10  Plug in L10	11  K07-2 Glue the opening, need to complete 2
12  K01-6 The production method of K01-6 is the same as that of K07-2	13  1cm 1cm K05-3	14  K04-3 (back view) Package paste	15  (front view)	16  H06 H07 H07 0.5cm 0.5cm
18  H02 H01	19  H01	20  F16-2	21  H04	22  K01-2
24  H03	25  F16-3	26  H05	28  K01-6	29  (ladder)

Desk




Before making, cut out K01, K04, K09 according to template A25-K01, A25-K04, A25-K09

Recliner





Basket





1  Fold by crease

2  Paste it as picture

3  Paste it as picture

4  A24-28-2 is made in the same way as A24-28-1

5  A24-28-3
Colored inward and bonded at both ends

6  Paste it as picture

7  Paste the bottom as shown

8  L06
0.5cm 0.5cm
The length of L06 is 6cm

9  A24-28-3
L06
The remaining L06 is pasted around A24-28-3

10  Paste half effect around

11  Around paste to bottom effect


12  Trim off excess


13  Bottom paste effect

14 

15  A24-28-1 A24-28-2
Paste as shown

Crane





1  F21 F01 F01

2  F02

3  F07



4  L07 60cm
Reference data set aside the size of L07

5  L07 20cm
Winding according to the direction of the arrow, winding to 20cm to stop


6  F09

7  F08


8  F04




Windmill




Telescope




First floor stairs&Second floor stairs&3rd floor ladder
Before making, please cut out the woodgrain of C13



(First floor stairs)





(Second floor stairs)




(3rd floor ladder)

Cherry tree branch




Deduct all the petals in A27




Remove the branch of A29 for spare



Take a branch and apply white latex to the trunk





Take an appropriate amount of A27 petals and sprinkle them on the branch with glue from top to bottom



There will be some branches that do not stick to the petals, which need to be added manually, and an appropriate amount of A26-9 is added as an embellishment to complete 5 branches

Cherry tree



Arrange the branches first, the shape can be freely played, or you can refer to the picture



First apply white latex on the 2/1 position



Take an appropriate amount of A27 petals and sprinkle them on the branch with glue from top to bottom, and apply glue to the other side as well




Take an appropriate amount of A27 petals and sprinkle them on the branch with glue from top to bottom



Apply glue on the back













The effect after pasting



There will be some branches that do not stick to the petals, which need to be added manually, and an appropriate amount of A26-9 will be added as an embellishment


Master bedroom

Before making, cut out K02 according to template A25-K02






6



A12


The effect of removing excess
printing paper

7




A12

8



After the pasting is completed,
follow the panel line to remove
the excess printing paper


9



A13


The effect of removing excess
printing paper

10




A13

11




Fold out the A26-7 pleats
before making

12 Music movement
(Optional: Upgraded accessories need to be purchased separately)




A10
(back view)




A10
(front view)

13



A24-3

14




B07

15



A13

16




A10

17



B07

18




(Wall lamp)

19



20




(Mirror)

21




(Tub)

22



A11

23



A12

24



A14

25



B11

26



B12

27




B13

28







B14










Stream



Assembly The Frame



8



9



10



11



12




13



Add the flowers in (plant) as shown in the picture, you can also play freely.

14



Add the flowers in (plant) as shown in the picture, you can also play freely.

15



Add the leaves in the (plant) as shown in the figure, you can also play freely.

16



Add the leaves in the (plant) as shown in the figure, you can also play freely.

17



(Children's dining chair)

18




(Grill)

19



Add (small animals) as shown in the picture, you can also play freely.



(Cherry tree branch)
Proper trimming is required before pasting

(Cherry tree branch)
Proper trimming is required before pasting



(Cherry tree)



Lighting effect:



How to assemble the battery holder

Statement: the lamp wires cannot be inserted into the output socket.

- Can use 2*AAA batteries
- Please notice the place of anode and cathode when put in the batteries
- Rechargeable batteries are not blunt electricity
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed from the toy before charging
- Different types of batteries cannot mix; Do not mix new batteries in use with semi-used batteries.
- Run out of battery should be removed from the toy
- The power shall not be short circuit



Cut the line to be the same length



Put the same color wire together



Twist the lights of the same color together



First, twist the red wire of the battery box and the gray wire of the LED light, the black wire of the battery box and the white wire of the LED light together



Wrap the exposed wires with P04 tape to make sure the LED lights are on



Hide the light wire as shown, and then hide the battery box

Installation of dust cover


dust cover
(Upgrade version accessories need
to be purchased separat ely)




scale:1:8
Z01 plexiglass(transparent)
30*22*0.18cm(1 piece)




scale:1:10
Z02 plexiglass(transparent)
36*30*0.18cm(2 pieces)



scale:1:10
Z03 plexiglass(transparent)
36*21.64*0.18cm(2 pieces)



stick Z02 and Z03 on Z01




stick five pieces of plexiglass
dustcover as shown


Ripped one side of kraft paper,
leaving one side of kraft paper




Take out the plexiglass and tear
off the kraft paper with text on
each piece of plexiglass




The kraft paper that has been
ripped off faces inwards, and
the kraft paper that has not
been ripped out faces outwards.



Use P04 to fix the junction of two
pieces of plexiglass, (use trans
parent tape to replace P04)




The junction of every two pieces of
plexiglass needs to be fixed with P04
(to prevent the plexiglass falling off)



stick appropriate amount of glue to
the interface of the two pieces of
glass and scrape it slightly to make
the glue penetrate into the junction
of the two pieces of glass (the red
line is the plexiglass interface)




The junction of two pieces of plexiglass
needs to be fixed with P04 (to prevent
the plexiglass falling off)




stick appropriate amount of glue to
the interface of the two pieces of
glass and scrape it slightly to make
the glue penetrate into the junction
of the two pieces of glass (the red
line is the plexiglass interface)




The junction of two pieces of plexiglass
needs to be fixed with P04 (to prevent
the plexiglass falling off)



stick appropriate amount of glue to
the interface of the two pieces of
glass and scrape it slightly to make
the glue penetrate into the junction
of the two pieces of glass (the red
line is the plexiglass interface)



the dust cover need to be glued
8 interfaces



Leave it for 1 hour. After the glue
dries out, tear off a layer of kraft
paper outside the plexiglass



The instruction manual should be keep,after assembled